COMMONWEALTH OF KENTUCKY

BEFORE THE PUBLIC SERVICE COMMISSION

* * * * *

In the Matter of

THE APPLICATION OF WESTERN LEWISRECTORVILLE GAS AND WATER DISTRICT
OF MAYSVILLE, KENTUCKY, FOR AN
ORDER AUTHORIZING AN INCREASE IN
ITS RETAIL RATES, APPLICABLE TO
ALL CONSUMERS

CASE NO. 8678

CASE NO. 8678

ORDER

IT IS ORDERED That the above case be and it hereby is set for hearing on the 21st day of January, 1983, at 10:00 a.m., Eastern Standard Time, in the Commission's offices at Frankfort, Kentucky.

IT IS FURTHER ORDERED That Western Lewis-Rectorville Gas and Water District shall publish once a week for 3 consecutive weeks in a newspaper or newspapers of general circulation in the areas in which it serves a notice setting forth the place, date, hour and the general purpose of the hearing, the format of the publication to be conspicuous, and one of said notices to be published not more than 21 days or less than 7 days prior to the hearing as required by KRS 424.130.

IT IS FURTHER ORDERED That Western Lewis-Rectorville Gas and Water District shall either (1) include the proposed rates in the newspaper publication, or (2) at least 20 days prior to the date of hearing mail to each customer a typewritten or printed notice of the proposed rates and the place, date and hour of hearing.

IT IS FURTHER ORDERED That the mailing of a typewritten or printed notice shall not obviate the requirement of newspaper publication set forth in the second ordering paragraph.

IT IS FURTHER ORDERED That the publication or the mailing of the proposed rates shall include the following language:

The rates contained in this notice are the rates proposed by Western Lewis-Rectorville Gas and Water District. However, the Public Service Commission may order rates to be charged that differ from these proposed rates. Such action may result in rates for consumers other than the rates included in this notice.

Done at Frankfort, Kentucky, this 21st day of December, 1982.

PUBLIC SERVICE COMMISSION

Katherine Randall
For the Commission

ATTEST: